CLAIM AMENDMENTS

- 1. (Currently amended) Nucleic acids coded for A nucleic

 acid which encodes a deregulated 3-phosphoglycerate dehydrogenase

 containing a gene serA according to SEQ ID No. 1 or an allele,

 homolog or derivative of this nucleotide sequence or a nucleotide

 sequence hybridizing therewith.
- 2. (Currently amended) Nucleic acids coding for A

 nucleic acid which encodes a deregulating deregulated

 3-phosphoglycerate dehydrogenase containing a gene serA according

 to SEQ ID No. 2 or an allele, homolog or derivative of this

 nucleotide sequence or a nucleotide sequence hybridizing therewith.
 - 3. (Currently amended) Nucleic acids coding for A nucleic acid which encodes a deregulating deregulated
 3-phosphoglycerate dehydrogenase containing a gene serA according to SEQ ID No. 3 or an allele, homolog or derivative of this nucleotide sequence or a nucleotide sequence hybridizing therewith.

1

2

5

1

3

4

5

4. (Currently amended) Nucleic acids coding for Annucleic acid which encodes a deregulating deregulated
3-phosphoglycerate dehydrogenase containing a gene serAn according to SEQ ID No. 4 or an allele, homolog or derivative of this nucleotide sequence or a nucleotide sequence hybridizing therewith.

- **5** - 23155AM4.WPD

- 5. (Currently amended) Nucleic acids coding for A

 nucleic acid which encodes a deregulating deregulated 3phosphoglycerate dehydrogenase containing a gene serA according to
 SEQ ID No. 5 or an allele, homolog or derivative of this
 nucleotide sequence or a nucleotide sequence hybridizing therewith.
- 6. (Currently amended) Nucleic acids A nucleic acid

 according to one of claims 1 to 5 characterized in that they are

 claim 1, claim 2, claim 3, claim 4 or claim 5 isolated from

 coryneform bacteria.
- 7. (Currently amended) Nucleic acids A nucleic acid

 according to claim 1, claim 2, claim 3, claim 4 or claim 5 one of

 claims 1 to 6 characterized in that they are isolated from

 Corynebacterium or Brevibacterium.
- 8. (Currently amended) Nucleic acids A nucleic acid

 according to claim 1, claim 2, claim 3, claim 4 or claim 5 one of

 claims 1 to 7 characterized in that they are isolated from

 Corynebacterium glutamicum or Brevibacterium flavum.

- 9. (Currently amended) A gene structure containing at
 least one of the nucleotide sequences nucleic acid according to
 claims 1 to 8 claim 1, claim 2, claim 3, claim 4 or claim 5 as well
 as regulatory sequences operatively linked therewith.
- 10. (Currently amended) A vector containing at least one
 nucleotide sequence according to claims 1 to 8 or a gene structure
 according to claim 9 as well as additional nucleotide sequence for
 selection, replication in the a host cell or for interaction in the
 a host cell genome.
- 1 11. (Currently amended) A deregulated

 3-phosphoglycerate-dehydrogenase or a part thereof loaded by means

 of a nucleic acid sequence expressing an amino acid sequence

 selected from the group consisting of SEQ ID NO: 7, SEQ ID NO. 8,

 SEQ ID NO. 9, SEQ ID NO. 10, and SEQ ID NO. 11 according to one of

 the claims 1 to 8.
- 12. (Currently amended) A deregulated
 2 3-phosphoglycerate-dehydrogenase according to claim 11 with an
 3 amino acid sequence according to SEQ ID No. 7 or a modified form of
 4 this polypeptide sequence or isoform thereof.

- 1 13. (Currently amended) A deregulated
- 2 3-phosphoglycerate-dehydrogenase according to claim 11 with an
- amino acid sequence according to SEQ ID No. 8 or a modified form of
- 4 this polypeptide sequence or isoform thereof.
- 1 14. (Currently amended) A deregulated
- 3-phosphoglycerate-dehydrogenase according to claim 11 with an
- amino acid sequence according to SEQ ID No. 9 or a modified form of
- 4 this polypeptide sequence or isoform thereof.
- 15. (Currently amended) A deregulated
- 2 3-phosphoglycerate-dehydrogenase according to claim 11 with an
- amino acid sequence according to SEQ ID No. 10 or a modified form
- 4 of this polypeptide sequence or isoform thereof.
- 16. (Currently amended) A deregulated
- 2 3-phosphoglycerate-dehydrogenase according to claim 12 claim 11 with
- an amino acid sequence according to SEQ ID No. 11 or a modified form
- 4 of this polypeptide sequence or isoform thereof.
- 17. (Currently amended) A polypeptide according to one of
- claims 11 to 16 characterized in that it derives claim 11 derived
- from coryneform bacteria.

18. (Currently amended) A polypeptide according to one of
the claims 11 to 17 characterized in that it derives claim 11
derived from Corynebacterium or Brevibacterium.

- 19. (Currently amended) A polypeptide according to one of
 the claims 11 to 18 characterized in that it derives claim 11
 derived from Corynebacterium glutamicum or Brevibacterium flavum.
- 20. (Currently amended) A microorganism containing at least one nucleic acid according to claims 1 to 8 claim 1, claim 2, claim 3, claim 4 or claim 5 in replicatable form and which by comparison with the wild type microorganism is expressed in an amplified manner and/or has its copy number increased.
- 21. (Currently amended) A microorganism according to
 claim 20 containing in replicable form a gene structure containing
 the at least one nucleic acid as well as regulatory sequences
 operatively linked thereto and additional nucleotide sequences for
 selection, replication, in a host cell or for interaction in a host
 cell genome according to claim 9 or a vector according to claim 10.

- 22. (Currently amended) A microorganism according to one
 of the claims 20 to 21 claim 20 expressing at least one amino acid
 sequence selected from the group consisting of SEQ ID NO. 7, SEQ ID
 NO. 8, SEQ ID NO. 9, SEQ ID NO. 10 and SEQ ID NO. 11 containing at
 least one polypeptide according to claims 11 to 19 which, by
 comparison to the corresponding wild type line shows an active
 deregulated 3-phosphoglycerate-dehydrogenase.
- 23. (Currently amended) The microorganism according to

 one of the claims 20 to 22 characterized in that it claim 20 that is

 a Coryneform bacterium.
- 24. (Currently amended) The microorganism according to

 one of claims 20 to 23 characterized in that it claim 20 that

 belongs to the familia Corynebacterium or Brevibacterium.
- 25. (Currently amended) The microorganism according to one of claims 20 to 24 characterized in that it claim 24 that

 3 belongs to Corynebacterium glutamicum or Brevibacterium flavum.

26. (Currently amended) A probe for identifying and/or isolating genes coded for which encode proteins participating in the biosynthesis of L-serine characterized in that they are made starting from nucleic acids according to one of the claims 1 to 8 selected from the group consisting of SEQ ID NO. 13, SEQ ID NO. 14, SEQ ID NO. 15, SEQ ID NO. 16, SEQ ID NO. 17, SEQ ID NO. 18, and SEQ ID NO.19 and containing a marker suitable for detection.

27. (Canceled)

28. (Currently amended) A method for microbially 1 producing L-serine from a carbohydrate, fat or oil, fatty acid, 2 alcohol or organic acid, in a culture medium, containing nitrogen 3 sources and phosphorous sources, which comprises the steps of: a) providing at least one nucleic acid for a coding 5 deregulating encoding a deregulated 3-phosphoglycerate 6 dehydrogenase, and selected from the group consisting of SEQ ID 7 NO. 1, SEQ ID NO. 2, SEQ ID NO. 3, SEQ ID NO. 4 and SEQ ID 8 NO. 5, isolated from a Coryneform bacterium, and translated 9 transformed into a Coryneform bacterium, and then expressed to form 10 the deregulating deregulated 3-phosphoglycerate dehydrogenase, 11 whereby the gene expression and/or the activity of the corresponding 12 coded encoded deregulating deregulated 13

3-phosphoglycerate dehydrogenase is increased with respect to the corresponding microorganism which has not been genetically altered;

16

17

18

19

20

21

1

2

3

5

- b) microbially producing L-serine by expressing the at least one nucleic acid coding for a deregulating which encodes a deregulated 3-phosphoglycerate dehydrogenase in said genetically modified microorganism from step a) to microbially convert said carbohydrate, fat or oil, fatty acid, alcohol or organic acid in said culture medium to L-serine; and
- c) isolating the correspondingly formed L-serine from the culture medium.
 - 29. (Currently amended) The method for microbially producing L-serine from a carbohydrate, fat or oil, fatty acid, alcohol or organic acid, in a culture medium, defined in claim 28 wherein the nucleic acid coding for a deregulating which encodes a deregulated 3-phosphoglycerate dehydrogenase is SEQ ID NO.1.